

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26815	velcro	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 15:06
L2	253	velcro.as.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 15:12
L3	0	contact adj force near hook adj loop	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 15:12
L4	0	contact near force near hook adj loop	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 15:12
L5	25	contact near force near adhesive	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 15:14
L6	137	expanding near adhesive	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 15:14
L7	81	expanding near adhesive and direction	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 15:14
S1	6	((("4936840") or ("5151092") or ("5897545") or ("5957908") or ("5984911") or ("6102901"))).PN.	US-PGPUB; USPAT	OR	OFF	2004/10/19 10:07
S2	7	((("2278867") or ("0786243") or ("2296179"))).PN. or ((00/35399) or (00/37016) or (01/43684)).CCLS.	EPO; JPO; DERWENT	OR	OFF	2004/10/19 10:13
S5	4374	((40/651) or (73/827) or (73/841) or (112/406) or (156/66) or (156/73.4) or (604/389) or (604/391) or (604/398) or (604/399) or (604/386) or (604/399) or (604/391) or (604/358)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/19 16:37
S6	6	"2278867"	DERWENT	OR	ON	2004/10/19 16:11
S7	3	"0786243"	DERWENT	OR	ON	2004/10/19 16:12
S8	5	"2296179"	DERWENT	OR	ON	2004/10/19 16:11
S9	34	"0035399"	DERWENT	OR	ON	2004/10/19 16:11
S10	8	((("5554145") or ("6004306") or ("3848594") or ("4662875") or ("4846815") or ("4894060") or ("4963140") or ("4699622"))).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/20 08:19
S11	3	((("0262447") or ("5312387") or ("3955575"))).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/20 08:20

S12	2	((("5312387") or ("3955575")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/20 08:24
S13	0	("fasten\$3andresistance").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/20 10:20
S14	507	fasten\$3 near resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 10:20
S15	51	S14 and disengagement	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 10:21
S16	18	multi-directional near resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 11:30
S17	845	resistance near many and directions	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 11:30
S18	130	S17 and adhesive	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 12:31
S19	4	"6210389"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 12:31
S20	34	("3893460"   "3901236"   "3937221"   "4076663"   "4286082"   "4290174"   "4322875"   "4662037"   "4663220"   "4699823"   "4704116"   "4753646"   "4916005"   "4938753"   "5019073"   "5040275"   "5226992"   "5288546"   "5304162"   "5374262"   "5386595"   "5399219"   "5423789"   "5486166"   "5490846"   "5540796"   "5562650"   "5595618"   "5605735"   "5606781"   "5624429"   "5858515"   "5897546"   "5933927").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 12:37
S21	12	("2499898"   "3266113"   "3320649"   "3408705"   "3527001"   "3577607"   "3708837").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 12:51
S22	7	("3638651"   "4585450"   "4662875"   "4810574"   "5024672"   "5066289"   "5531731").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 12:56
S23	9811	direction near engagement	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 12:56
S24	2617	S23 and fasten\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 12:57

S25	13	S23 near fasten\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:39
S26	2062	S23 and vary	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:40
S27	963	resistance near engagement	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:41
S28	0	S27 near different	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:41
S29	20	S27 with different	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:42
S30	61597	different adj direction	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:42
S31	9923	S30 and fasten\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:43
S32	11	S30 near fasten\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:44
S33	7276	S30 and adhesive	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:44
S34	3	S30 near adhesive	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:45
S35	53	S30 near fix\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:47
S36	79418	resistance with direction	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 13:47
S37	48947	S36 and different	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 13:48
S38	68453	different adj direction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 13:48
S39	14829	S38 and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 13:48

S40	41	different adj direction near resistance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/20 13:48
S41	6	("2365421").URPN.	USPAT	OR	ON	2004/10/20 13:58
S42	4	"6063066"	USPAT	OR	ON	2004/10/20 14:09
S43	1046	tape and tear near resistance	USPAT	OR	ON	2004/10/20 14:09
S44	888	S43 and thickness	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:10
S45	9	tape near tear adj resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:12
S46	0	adhesive near tear adj resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:13
S47	0	sticky near tear adj resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:13
S48	0	sticky near tension adj resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:13
S49	2749	force adj resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:13
S50	131	S49 and different near direction	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:26
S51	35	force adj resistance and varying adj thickness	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:34
S52	15	force adj resistance and changing adj thickness	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:35
S53	1968	stress adj resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:35
S54	0	S53 near different adj directions	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:35
S55	33	S53 and different adj directions	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:38
S56	6	tension adj resistance and different adj directions	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:38

S57	6	tension adj resistance and different near directions	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:39
S58	23	tension near resistance and different near directions	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:39
S59	165	( "0174740"   "0230495"   "0279910"   "0293831"   "0302421"   "0375205"   "0378874"   "0391726"   "0477154"   "0479492"   "0569767"   "0702056"   "0749321"   "0796414"   "0807150"   "0870617"   "0879282"   "0932806"   "0949014"   "0983093"   "1009533"   "1024566"   "1061805"   "1095794"   "1185913"   "1197431"   "1225216"   "1243018"   "1249959"   "1252261"   "1266365"   "1368316"   "1499428"   "1612935"   "1678166"   "1759550"   "1851733"   "1909654"   "2114429"   "2347263"   "2379896"   "2392659"   "2406895"   "2447422"   "2478433"   "2478434"   "2523465"   "2615736"   "2775288"   "2840878"   "2896290"   "2900696"   "2956324"   "3080635"   "3120971"   "3167835"   "3196878"   "3200464"   "3251110"   "3430306"   "3583317"   "3600917"   "3695074"   "3837049"   "3979934"   "4150464"   "4161806"   "4204300"   "4363159"   "4398324"   "4408375"   "4413383"   "4443916"   "4443917"   "4464813"   "4474043"   "4489466"   "4541151"   "4559679"   "4581910"   "4616953"   "4633549"   "4662040"   "4672725"   "4712280"   "4726705"   "4774744"   "4776191"   "4779315"   "4793032"   "4928364"   "4982480"   "4999885"   "D222408"   "D235385"   "D285864"   "D299480"   "D308294"   "D308295"   "D310136"   "D310447"   "D310753"   "D317080").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:48
S60	918	disengagement near direction	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:48
S61	277	S60 and fasten\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:48

S62	7	S61 and garment	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:51
S63	11	S61 and fabric	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:52
S64	39721	load adj bear\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:52
S65	23139	S64 and attach\$3	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:53
S66	13804	S65 and edge	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:53
S67	6436	S66 and dimension	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:54
S68	4026	edge adj thickness	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:55
S69	31591	edge and increas\$3 adj thickness	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 14:55
S70	252	increas\$3 adj thickness near edge	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:55
S71	84	S70 and resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 14:59
S72	1449	separat\$3 adj resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 15:00
S73	281	S72 and varying	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 15:00
S74	2	("3964879").URPN.	USPAT	OR	ON	2004/10/20 15:10
S75	195245	S30/\$ or "604"/\$	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 13:58
S76	5790	S75 and (hook with loop)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 15:13
S77	1296	S76 and nonwoven	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 15:13
S78	366	S77 and neck\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 15:14

S79	46	("2039312"   "2397838"   "3094330"   "3176364"   "3214323"   "3266841"   "3277547"   "3319307"   "3327708"   "3405430"   "3469289"   "3490107"   "3494006"   "3665921"   "3665922"   "3694867"   "3708833"   "3895797"   "3949128"   "4116892"   "4223059"   "4355066"   "4374888"   "4379192"   "4600618"   "4725473"   "4761318"   "4761322"   "4973326"   "5032122"   "5308345"   "5318555"   "5326612").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/20 15:16
S80	20	S77 and tenter	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 15:17
S81	6	"5224247"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/20 17:05
S82	93	"3708833"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 09:19
S83	861	peel adj resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 09:19
S84	457	S83 and value	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 11:25
S86	54	"6004306"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 11:26
S87	377	"4081301"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 12:21
S88	5143	fasten\$3 and inside adj edge	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 13:59
S89	31	fasten\$3 near inside adj edge	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 14:01
S90	0	multidirectional near force near resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 14:01
S91	27	multidirectional and force near resistance	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/21 15:05